

STUD LENGTH (12'-0"):

STUD SIZE (3 $\frac{5}{8}$ " TYP.):

STUD GAUGE: #16 TYP.

WALL THICKNESS ($\frac{5}{8}$ " TYP.):


FULL LENGTH GENERAL CARE
(M/N: FW1948-PR-GEN-P)

TYPE:
QUANTITY:

IF MIRRORED UNITS ARE REQUIRED, THE CUSTOMER MUST INDICATE THE QUANTITY OF UNITS BELOW AND AMICO WILL PROVIDE A SEPARATE DRAWING SHOWING THE MIRRORED LAY OUT AND QUANTITY

QUANTITY MIRRORED: _____

SYSTEM DETAILS		
SYMBOL	QTY.	DESCRIPTION
	1	PANEL WALL
O	3	AMICO GAS OUTLET, OXYGEN
A	2	AMICO GAS OUTLET, MED AIR
V	5	AMICO GAS OUTLET, VACUUM
E2	6	RECEPTACLE - DUPLEX RED
N2	6	RECEPTACLE - DUPLEX IVORY
NC	1	PROVISION - NURSE CALL 1G
CB	1	PROVISION - CODE BLUE 1G
CP	1	PROVISION - CODE PINK 1G
DA	4	PROVISION - DATA 1G
MO	1	PROVISION - MONITOR OUT. 1G
MC	1	MONITOR CHANNEL
	2	STUD ASSEMBLY



APPROVAL SIGNATURE

DATE _____ PHONE NO. _____

HOSPITAL		HOSPITAL
LOCATION		LOCATION
QTY.	UNITS AS	
X		

A. NURSE CALL	MFGR: _____	TBC	MODEL NO.: _____	TBC
B. MEDICAL GAS MFGR.: _____	AMICO	TYPE CONNECTION: _____	TBC	
C. FINISH: _____	TBC	CEILING HEIGHT: _____	TBC	

DRWG. NO.
MMDDYY-01
DRAWN BY:
CHECKED BY:
REV.NO.: 00
DATE: